



Use in conjunction with Diabetes Action Plan. This plan should be reviewed every year.

STUDENT'S NAME \_\_\_\_\_

GRADE / YEAR \_\_\_\_\_

## RESPONSIBLE STAFF

School staff who have voluntarily agreed to undertake training and provide support with diabetes care to the student.

STAFF MEMBER	GLUCOSE CHECKING	INSULIN ADMINISTRATION

## INSULIN ADMINISTRATION

The student is on two injections of insulin per day. Therefore, ALL carbohydrate food must be eaten at regular times throughout the day.

- The student will have their injections at home.
- The student will require an insulin injection before their breakfast at Before School Care.

### BEFORE SCHOOL CARE

Before school care may be provided by the school, or an outside organisation.

**Parent/carer to obtain and complete the relevant documentation from this setting, authorising staff to administer/supervise insulin administration to their child.**

## BLOOD GLUCOSE LEVEL (BGL) CHECKING

### Target range for blood glucose levels (BGLs): 4 – 7 mmol/L

- BGL results outside of this target range are common.
- BGL check should be done where the student is, whenever needed.
- **The student should always wash and dry their hands before doing the BGL check.**

Blood glucose levels will vary day-to-day and be dependent on a number of factors such as:

- Insulin Dose
- Excitement / stress
- Age
- Growth spurts
- Type/quantity of food
- Level of activity
- Illness / infection

Is the student able to do their own blood glucose check independently?

Yes  No

If NO, the responsible staff member needs to

Do the check  Assist  Observe  Remind

**TIMES TO CHECK BGLS** (tick all those that apply)

- Anytime, anywhere  Before snack  Before lunch
- Before activity  Before exams/tests  Beginning of after-school care session
- When feeling unwell  Anytime hypo suspected
- Other routine times – please specify \_\_\_\_\_
- \_\_\_\_\_

- Further action is required if BGL is **less than 4.0 mmol/L** or **greater than or equal to 15.0 mmol/L**. Refer to Diabetes Action Plan.
- If the meter reads '**LO**' this means the BGL is too low to be measured by the meter — follow the hypoglycaemia (Hypo) treatment on Diabetes Action Plan.
- If the meter reads '**HI**' this means the BGL is too high to be measured by the meter — follow hyperglycaemia (Hyper) treatment on Diabetes Action Plan.

## SENSOR GLUCOSE (SG) MONITORING

The student is wearing

### ■ Continuous Glucose Monitor (CGM)

- Dexcom G4®
- Dexcom G5®
- Guardian™ Connect
- Guardian™ Sensor 3

### ■ Flash Glucose Monitor (FGM)

- Freestyle Libre

- CGM and FGM consist of a small sensor that sits under the skin and measures glucose levels in the fluid surrounding the cells (interstitial fluid).
- These devices are not compulsory management tools.
- With CGM, a transmitter sends data to either a receiver, phone app or insulin pump.
- With FGM, the device will only give a glucose reading when the sensor disc is scanned by a reader or phone app.
- A sensor glucose (SG) reading can differ from a finger prick blood glucose reading during times of rapidly changing glucose levels e.g. eating, after insulin administration, during exercise.
- Therefore, **LOW** or **HIGH** SG readings **must** be confirmed by a finger prick blood glucose check.

**Hypo treatment is based on a blood glucose finger prick result.**

### CGM ALARMS

- CGM alarms may be 'on' or 'off'.
- If 'on' the CGM will alarm if interstitial glucose is low or high.

**ACTION: Check finger prick blood glucose level (BGL) and follow Diabetes Action Plan for treatment.**

- FGM device does not have alarm settings.

### USE AT SCHOOL

- Staff are not expected to do more than the current routine diabetes care as per the student's Diabetes Action and Management plans.
- Staff do not need to put CGM apps on their computer, smart phone or carry receivers.
- Parents/carers are the primary contact for any questions regarding CGM/FGM use.
- Some CGM devices can be monitored remotely by family members. They should only contact the school if they foresee a prompt response is required.
- If the sensor/transmitter falls out, staff are required to keep it in a safe place to give to parents/carers.
- The sensor can remain on the student during water activities.

NAME \_\_\_\_\_

DATE OF BIRTH \_\_\_\_\_

DATE PLAN CREATED \_\_\_\_\_

# LOW BLOOD GLUCOSE LEVELS (Hypoglycaemia / Hypo)

Follow the student's Diabetes Action Plan if **BGL less than 4.0 mmol/L**.  
Mild hypoglycaemia can be treated by using supplies from the student's HYPO BOX.

HYPO BOX LOCATION/S: \_\_\_\_\_

## HYPO BOX

FAST ACTING CARBOHYDRATE FOOD	AMOUNT TO BE GIVEN

SUSTAINING CARBOHYDRATE FOOD	AMOUNT TO BE GIVEN

- If the student requires more than 2 consecutive fast acting carbohydrate treatments, as per their Diabetes Action Plan, call the student's parent/carer. Continue hypo treatment if needed while awaiting further advice.
- All hypo treatment foods should be provided by the parent/carer.
- Ideally, packaging should be in serve size bags or containers and labelled as **fast acting carbohydrate** food and **sustaining carbohydrate** food.

**Mild hypoglycaemia is common.**

If the student is having more than 3 episodes of low BGLs at school in a week, make sure that the parent/carer is aware.

## SEVERE HYPOGLYCAEMIA (HYPO) MANAGEMENT

**Severe hypoglycaemia is not common.**

Follow the student's Diabetes Action Plan for any episode of severe hypoglycaemia.

**DO NOT** attempt to give anything by mouth to the student or rub anything onto the gums as this may lead to choking.

If the school is located more than **30 minutes** from a reliable ambulance service, then staff should discuss Glucagon injection training with the student's Diabetes Treating Team.

## HIGH BLOOD GLUCOSE LEVELS (Hyperglycaemia / Hyper)

- Although not ideal, BGLs above target range are common.
- **If BGL is 15.0 mmol/L or more**, follow the student's Diabetes Action Plan.
- If the student is experiencing frequent episodes of high BGLs at school, make sure the parent/carer is aware.

## KETONES

- Ketones occur most commonly when there is not enough insulin in the body.
- Ketones are produced when the body breaks down fat for energy.
- Ketones can be dangerous in high levels.

**You will be required to check the student's ketone level if**

- Student is unwell **or**
- BGL is above 15.0 mmol/L

Blood ketone check

Urine ketone check

If ketones are **more than 1.0 mmol/L, or dark purple on urine strip**, follow action for ketones on the student's Diabetes Action Plan.

## EATING AND DRINKING

- The student should not go for longer than 3 hours without eating a carbohydrate meal or snack.
- Younger students will require supervision to ensure all food is eaten.
- The student should not exchange food/meals with another student.
- Seek parent/carer advice regarding appropriate foods for parties/celebrations that are occurring at school.
- Always allow access to drinking water and toilet (high glucose levels can cause increased thirst and extra toilet visits).

**Does the student have coeliac disease?**  No  Yes\*

\*Seek parent/carer advice regarding appropriate food and hypo treatments.

NAME \_\_\_\_\_

DATE OF BIRTH \_\_\_\_\_

DATE PLAN CREATED \_\_\_\_\_

## PHYSICAL ACTIVITY

A blood glucose meter and hypo treatment should always be available.

- Check blood glucose level before physical activity.
- Physical activity **may lower** glucose levels.
- The student may require an extra serve of carbohydrate food before every 30 minutes of planned physical activity or swimming as provided in the Activity Food Box.

ACTIVITY FOOD BOX LOCATION: \_\_\_\_\_

### ACTIVITY FOOD BOX

CARBOHYDRATE FOOD TO BE USED	AMOUNT TO BE GIVEN

- Physical activity should not be undertaken **if BGL less than 4.0 mmol/L**. Refer to the Diabetes Action Plan for hypo treatment.
- Vigorous activity **should not** be undertaken **if BGL is greater than or equal to 15.0 mmol/L and/or the student is unwell**.

## EXCURSIONS / INCURSIONS

It is important to plan for extracurricular activities.

Consider the following:

- Ensure blood glucose meter, blood glucose strips, ketone strips, hypo and activity food are readily accessible.
- Plan for meal and snack breaks.
- Always have hypo treatment available.

## CAMPS

It is important to plan for school camps and consider the following:

- Parents/carers need to be informed of any school camps at the **beginning of the year**.
- A separate and specific **Camp Diabetes Management Plan** is required.
- Parents/carers should request a **Camp Diabetes Management Plan** from their Diabetes Treating Team.
- The student's Diabetes Treating Team will prepare the **Camp Diabetes Management Plan** and require at least 4 weeks' notice to do so.
- Parents/carers will need a copy of the camp menu and activity schedule.
- At least 2 responsible staff attending the camp should have a general understanding of type 1 diabetes and the support that the student requires to manage their condition for the duration of the camp.
- If the camp location is more than **30 minutes** from a reliable ambulance service, **Glucagon injection training will be required**.
- School staff will need to discuss any training needs at least 4 weeks before the camp with the student's parents/carers or Diabetes Treating Team.

## EXAMS

- BGL should be checked before an exam.
- BGL should be greater than 4.0 mmol/L before exam is started.
- Blood glucose meter, monitoring strips, hypo treatments and water should be available in the exam setting.
- Continuous Glucose Monitoring (CGM) or Flash Glucose Monitoring (FGM) devices and receivers (smart phones) should be available in the exam setting.
- Extra time will be required if a hypo occurs or for toilet privileges.

## APPLICATIONS FOR SPECIAL CONSIDERATION

### National Assessment Program Literacy and Numeracy (NAPLAN)

Applies to Grade 3, Grade 5, Year 7, Year 9. Check National Assessment Program website – Adjustment for student with disability for further information.

### Victorian Certificate of Education (VCE)

Should be lodged at the beginning of Year 11 and 12. Check Victorian Curriculum and Assessment Authority (VCAA) requirements.

NAME \_\_\_\_\_

DATE OF BIRTH \_\_\_\_\_

DATE PLAN CREATED \_\_\_\_\_



## EXTRA SUPPLIES

Provided for diabetes care at the school by parent/carer

- Insulin and syringes / pens / pen needles
- Finger prick device
- Blood glucose meter
- Blood glucose strips
- Blood ketone strips
- Urine ketone strips
- Sharps container
- Hypo food
- Activity food

# AGREEMENTS

## PARENT/CARER

- I have read, understood and agree with this plan.
- I give consent to the school to communicate with the Diabetes Treating Team about my child's diabetes management at school.

NAME

\_\_\_\_\_

FIRST NAME (PLEASE PRINT)

FAMILY NAME (PLEASE PRINT)

\_\_\_\_\_

SIGNATURE

\_\_\_\_\_

DATE

## SCHOOL REPRESENTATIVE

- I have read, understood and agree with this plan.

NAME

\_\_\_\_\_

FIRST NAME (PLEASE PRINT)

FAMILY NAME (PLEASE PRINT)

ROLE  Principal  Vice principal

Other (please specify) \_\_\_\_\_

\_\_\_\_\_

SIGNATURE

\_\_\_\_\_

DATE

## DIABETES TREATING MEDICAL TEAM

NAME

\_\_\_\_\_

FIRST NAME (PLEASE PRINT)

FAMILY NAME (PLEASE PRINT)

\_\_\_\_\_

SIGNATURE

\_\_\_\_\_

DATE